


格柵板撓度表  
Table of Deflections

直板 Bearing Bar mm	重量 Weight kg/m2	C.U.D. (kg/m2) F.D. (mm) F.C. (mm)	淨跨距 (L) : Net Span Between Supports (mm)																	
			300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000
25 x 3.0	22.88	C.U.D.	14933	8400	5360	3733	2743	2100	1480	1073	808.3	613.5	485.4	386.3	322.5	258.8	218.3	185	157.3	134.1
		F.D.	0.5705	1.014	1.585	2.282	3.106	4.057	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10
		F.C.	0.6244	0.076	0.186	0.385	0.713	1.217	1.915	2.936	4.287									
25 x 4.5	32.74	C.U.D.	22400	12600	8040	5600	4114	3150	2220	1609	1212	920.2	728.1	579.5	483.8	388.2	327.5	277.5	236	201.1
		F.D.	0.5705	1.014	1.585	2.282	3.106	4.057	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10
		F.C.	0.4162	1.03	2.049	0.257	0.476	0.811	1.277	1.958	2.858	4.108	5.624							
32 x 3.0	28.32	C.U.D.	24467	13763	8782	6117	4494	3441	2767	2228	1695	1287	1018	810.2	676.4	542.8	457.9	388	329.9	281.2
		F.D.	0.4457	0.792	1.238	1.783	2.427	3.17	4.011	4.952	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10
		F.C.	0.3613	0.894	0.089	0.184	0.34	0.58	0.913	1.4	2.044	2.938	4.023	5.443	6.986					
32 x 4.5	41.24	C.U.D.	36700	20644	13173	9175	6741	5161	4151	3342	2543	1930	1527	1215	1015	814.2	686.8	582	494.9	421.8
		F.D.	0.4457	0.792	1.238	1.783	2.427	3.17	4.011	4.952	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10
		F.C.	0.403	0.491	0.977	1.705	2.722	4.079	0.609	0.933	1.363	1.959	2.682	3.629	4.657	6.19	7.797			
38 x 4.5	48.38	C.U.D.	51753	29111	18576	12938	9506	7278	5853	4713	3907	3235	2557	2035	1699	1363	1150	974.6	828.7	706.3
		F.D.	0.3753	0.667	1.043	1.501	2.044	2.669	3.378	4.17	5.046	6.005	6.5	7	7.5	8	8.5	9	9.5	10
		F.C.	0.33	0.662	1.372	1.018	1.626	2.436	3.477	4.778	0.814	1.17	1.602	2.167	2.781	3.697	4.656	5.818	7.222	8.919
44 x 4.5	55.52	C.U.D.	69386	39030	24905	17347	12744	9757	7847	6319	5238	4337	3717	3186	2637	2116	1786	1513	1286	1097
		F.D.	0.3242	0.576	0.9	1.297	1.765	2.305	2.917	3.602	4.358	5.186	6.087	7.059	7.5	8	8.5	9	9.5	10
		F.C.	0.2126	0.672	0.884	1.574	1.047	1.569	2.24	3.078	4.102	5.33	1.032	1.396	1.792	2.381	2.999	3.747	4.652	5.745
50 x 4.5	63	C.U.D.	89600	50400	32160	22400	16457	12600	10133	8160	6764	5600	4800	4114	3680	3106	2620	2220	1888	1609
		F.D.	0.2853	0.507	0.792	1.141	1.553	2.028	2.567	3.17	3.835	4.564	5.356	6.212	7.131	8	8.5	9	9.5	10
		F.C.	0.2484	0.458	0.993	1.072	1.733	2.615	1.526	2.097	2.795	3.633	4.622	5.776	7.108	1.623	2.044	2.554	3.17	3.915
50 x 6.0	83.06	C.U.D.	119467	67200	42880	29867	21943	16800	13511	10880	9018	7467	6400	5486	4907	4141	3493	2960	2517	2145
		F.D.	0.2853	0.507	0.792	1.141	1.553	2.028	2.567	3.17	3.835	4.564	5.356	6.212	7.131	8	8.5	9	9.5	10
		F.C.	0.1863	0.589	0.745	1.354	1.3	1.961	2.813	3.879	2.096	2.724	3.467	4.332	5.331	6.473	7.766	7.618	9.166	2.936

C.U.D 均佈負載 (kg/m2) uniformly distributed load (kg/m2).  
 F.D. 均佈負載下之彈性變形量 elastic deflection (mm) under C.U.D. conditions.  
 F.C. 集中負載下之彈性變形量 elastic deflection (mm) under C.C. conditions.



網目/WESE  
mm 50 x 100

\*本表重量未包含封邊與鍍鋅後之重量  
 \*其他規格尺寸另洽